


Approved For Release 2008/09/24 : CIA-RDP78B05700A000100070001-9




- 15. BLISTERS 9L 3 EXPS, 9R NUMEROUS
- 16. MEDIUM
- 17. MEDIUM
- 18. GOOD
- 19. MEDIUM
- 20. 4 EXPS EACH 9L, 9R
- 21. GOOD
- 21A. ABRASIONS, LIGHT PROCESSING STREAKS
 - 22. FAIR INSUFFICIENT OVERLAP
 - 23. A. IMAGE MOTION ABOUT HOLL AXIS 3 EXPS
 - B. INBOARD, OUTHOARD EDGE FOG INTERMITTENT 9L
 - C. REFLECTION FROM DATA CHAMBER, DOT INDICATOR
 - D. DOUBLE IMAGE OF FORMAT INDICATOR OL INTERMITTENT
 - E. DOUBLE IMAGE OF 3L, 'R POSITION INDICATORS 9L, 3L POSITION INDICATOR 9R CONTINUOUS
 - F. HALF FORMAT OF VARYING DENSITY (EXTENDING DETWEEN

TOP SECRET

AUTHENTICATING OFFICER

RELEASING OFFICER

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED. GOOD NO.



FRAMES) SCATTERED THROUGHOUT 9L

- G. EMULSION DIGS 3.2" APART SCATTERED 9L
- H. STAINS 9L, 4 EXPS 9R, 2 EXPS
- I. PORTION FRAMES 2219 9L, 68 9R MISSING WHEN RECEIVED
- J. EXP 1201 9R MISSING WHEN RECEIVED
- K. CREASES 9L, 4 EXPS
- L. PORTION GLOCK OFF EXPS 1579 1722 9R
- M. FRAME SPLICES 2 EXPS EACH 9L, R
- Y. LAST EXP RETAINED 3343
- O. ALL NERS CER NERS

END OF MESSAGE

